

卷之三

三國志

परीक्षण पुस्तिका गणित

A

第六章

卷之三

三

जानिए क्या आप-मैं में उपर्युक्त द्वारा लिया गया बहुत ज्ञान के लिये इस लिये चाहूँ।

1. यदि $\Delta_1 = \begin{vmatrix} 1 & p & q \\ 1 & q & r \\ 1 & r & p \end{vmatrix}$ और $\Delta_2 = \begin{vmatrix} 1 & 1 & 1 \\ q & r & p \\ r & p & q \end{vmatrix}$

तो $p+q+r$, तो $\Delta_1 + \Delta_2$ है

- (a) 0
- (b) एकांक अनावश्यक
- (c) इसका अनावश्यक नहीं
- (d) यदि p, q, r अनावश्यक हैं तो अनावश्यक अपवाह अनावश्यक

2. यदि $(a-b)(b-c)(c-a)=2abc$,

$abc=6$ है, तो $\begin{vmatrix} a & b & c \\ a^2 & b^2 & c^2 \\ a^3 & b^3 & c^3 \end{vmatrix}$ का मान

क्या है ?

- (a) 3
- (b) 12
- (c) 14
- (d) 15

3. सिन्हारिता में से किस प्रतिक्रिया के उपरि

सारणिक $\begin{vmatrix} a & b & c \\ b & c & a \\ c & a & b \end{vmatrix}$ शून्य होता है ?

- 1. $a+b+c=0$
- 2. $a^2+b^2+c^2=3abc$
- 3. $a^2+b^2+c^2-ab-bc-ca=0$

जीवे द्वारा गए कृष्ट का अधोल जब उसी उपरि सुधारित :

- (a) केवल 1 और 2
- (b) केवल 2 और 3
- (c) केवल 1 और 3
- (d) 1, 2 और 3

4. आवृत्ति $A=\{m, n\}$, $B=\{-m, -n\}$ है।

$C=\begin{bmatrix} m \\ -m \end{bmatrix}$ के गाँव में सिन्हारिता पर लिखार कीधिए :

1. $CA=CB$
2. $AC=BC$
3. $C(A+B)=CA+CB$

उपर्युक्त में से कौन-का/कौन-से काम लाड़ी है/है ?

- (a) केवल 1
- (b) केवल 2
- (c) 2 और 3
- (d) 1 और 2

5. यदि $A = \begin{bmatrix} 2\sin\theta & \cos\theta & 0 \\ -2\cos\theta & \sin\theta & 0 \\ 0 & 0 & 1 \end{bmatrix}$ है, तो

$A(uA)^T A$ किसके बराबर है ?

- (a) शून्य आवृत्ति
 - (b) $-I$
 - (c) I
 - (d) $2I$
- लाइ-1 एक अवश्यक आवृत्ति है।

6. k के किस मान के लिए आवृत्ति

$$\begin{bmatrix} 2\cos 2\theta & 2\sin 2\theta & 0 \\ -2\sin^2\theta & 2\cos^2\theta - 1 & 0 \\ k & 2k & 1 \end{bmatrix}$$

आवृत्तिगतीय है ?

- (a) केवल 0
- (b) केवल 1
- (c) केवल 2
- (d) किसी भी अवश्यक मान

1. If $\Delta_1 = \begin{vmatrix} 1 & p & q \\ 1 & q & r \\ 1 & r & p \end{vmatrix}$ and $\Delta_2 = \begin{vmatrix} 1 & 1 & 1 \\ q & r & p \\ r & p & q \end{vmatrix}$

where $p \neq q \neq r$, then $\Delta_1 \cdot \Delta_2$ is

- (a) 0
- (b) always positive
- (c) always negative
- (d) positive if p, q, r are positive else negative

2. If $(a-b)(b-c)(c-a) = 2$ and $abc = 6$, then what is the value of

$$\begin{vmatrix} a & b & c \\ a^2 & b^2 & c^2 \\ a^3 & b^3 & c^3 \end{vmatrix} ?$$

- (a) 3
- (b) 12
- (c) 14
- (d) 15

3. Under which of the following conditions does the determinant

$$\begin{vmatrix} a & b & c \\ b & c & a \\ c & a & b \end{vmatrix}$$
 vanish?

- 1. $a+b+c=0$
- 2. $a^2+b^2+c^2=3abc$
- 3. $a^2+b^2+c^2-ab-bc-ca=0$

Select the correct answer using the code given below:

- (a) 1 and 2 only
- (b) 2 and 3 only
- (c) 1 and 3 only
- (d) 1, 2 and 3

4. Consider the following in respect of the matrices :

$$A = [m \ n], B = [-n \ -m] \text{ and } C = \begin{bmatrix} m \\ -m \end{bmatrix}$$

1. $CA = CB$

2. $AC = BC$

3. $C(A+B) = CA + CB$

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) 2 and 3
- (d) 1 and 2

5. If $A = \begin{bmatrix} 2\sin\theta & \cos\theta & 0 \\ -2\cos\theta & \sin\theta & 0 \\ -1 & 1 & 1 \end{bmatrix}$, then

what is $A(\text{adj}A)$ equal to?

- (a) Null matrix
- (b) $-I$
- (c) I
- (d) $2I$

where I is the identity matrix.

6. For what value of k is the matrix

$$\begin{bmatrix} 2\cos 2\theta & 2\cos 2\theta & 6 \\ 1-2\sin^2\theta & 2\cos^2\theta-1 & 3 \\ k & 2k & 1 \end{bmatrix}$$

singular?

- (a) 0 only
- (b) 1 only
- (c) 2 only
- (d) Any real value

7. यदि जीवित A एक चुनौतीय आवृत्ति है और $A = \begin{pmatrix} 0 & 1 \\ 0 & 0 \end{pmatrix}$ है। निम्नलिखित में से कौन-सा/कौन-से कारण सही है/हैं ?

1. $AB = BA$
2. AB एक अदिश आवृत्ति है
3. AB एक दूसरे आवृत्ति की तरह नहीं हो सकता है

नीचे दिए गए मूल का प्रयोग कर सही उत्तर चुनिए :

- (a) केवल 1
- (b) केवल 1 और 2
- (c) केवल 2
- (d) 1, 2 और 3

8. समान कोटि के लिए आवृत्ति A और B के संबंध में निम्नलिखित कथनों पर विचार कीजिए :

1. यदि AB एक मूल आवृत्ति है, तो A और B में से कौन-से-का कोई तरफ मूल आवृत्ति है
2. यदि AB एक इतनाही आवृत्ति है, तो $BA = AB$ है

उपर्युक्त में से कौन-सा/कौन-से कारण सही है/हैं ?

- (a) केवल 1
- (b) केवल 2
- (c) 1 और 2 दोनों
- (d) न ले 1, न ही 2

9. यदि A, कोटि 3 का एक इतनाही आवृत्ति है और B इसका अविस्तर है तो आवृत्ति $C = A + B$ के सार्वत्रिक का नाम क्या है ?

- (a) 1
- (b) 2
- (c) 4
- (d) 8

10. यदि जीवित A और B समान कोटि के दो अद्वितीय आवृत्ति का एक है तो $AB = A$ और $BA = B$ है। निम्नलिखित में से कौन-सा/कौन-से कारण सही है/हैं ?

1. $A^2 = A$
2. $AB^2 = A^2B$

नीचे दिए गए मूल का प्रयोग कर सही उत्तर चुनिए :

- (a) केवल 1
- (b) केवल 2
- (c) 1 और 2 दोनों
- (d) न ले 1, न ही 2

11. $\left(1 + \frac{2}{x}\right)^3 \left(1 - \frac{2}{x}\right)^7$ के प्रसार में निम्नले घट

- (a) 9
- (b) 10
- (c) 19
- (d) 20

12. $(x+y)^{10}$ के प्रसार के संबंध में निम्नलिखित कथनों पर विचार कीजिए :

1. पदों के सभी गुणात्मक में से 6^{th} पद के गुणात्मक का यान अधिकतम है
2. सीमित पद का गुणात्मक, 9^{th} पद के गुणात्मक के बराबर है

उपर्युक्त में से कौन-सा/कौन-से कारण सही है/हैं ?

- (a) केवल 1
- (b) केवल 2
- (c) 1 और 2 दोनों
- (d) न ले 1, न ही 2

7. Let A be a non-singular matrix and $B = \text{adj}A$. Which of the following statements is/are correct?

1. $AB = BA$
2. AB is a scalar matrix.
3. AB can be a null matrix.

Select the correct answer using the code given below:

- (a) 1 only
- (b) 1 and 2 only
- (c) 2 only
- (d) 1, 2 and 3

8. Consider the following statements in respect of square matrices A and B of same order:

1. If AB is a null matrix, then at least one of A and B is a null matrix.
2. If AB is an identity matrix, then $BA = AB$.

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

9. If A is the identity matrix of order 3 and B is its transpose, then what is the value of the determinant of the matrix $C = A + B$?

- (a) 1
- (b) 2
- (c) 4
- (d) 8

10. Let A and B be non-singular matrices of the same order such that $AB = A$ and $BA = B$. Which of the following statements is/are correct?

1. $A^2 = A$
2. $AB^2 = A^2B$

Select the correct answer using the code given below:

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

11. How many terms are there in the expansion of $\left(1+\frac{2}{x}\right)^6\left(1-\frac{2}{x}\right)^8$?

- (a) 9
- (b) 10
- (c) 19
- (d) 20

12. Consider the following statements in respect of the expansion of $(x+y)^{10}$:

1. Among all the coefficients of the terms, the coefficient of the 7th term has the highest value.
2. The coefficient of the 3rd term is equal to coefficient of the 9th term.

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

13. यदि $C(3n, 2n) = C(3n, 2n-7)$ हो, तो $C(n, n-5)$ का मान क्या है ?

- (a) 42
- (b) 35
- (c) 28
- (d) 21

14. $C(51, 21) - C(51, 22) + C(51, 23) - C(51, 24) + C(51, 25) - C(51, 26) + C(51, 27) - C(51, 28) + C(51, 29) - C(51, 30)$ का मान क्या है ?

- (a) $C(51, 25)$
- (b) $C(51, 27)$
- (c) $C(51, 51) - C(51, 0)$
- (d) $C(51, 25) - C(51, 27)$

15. 300 लीटर 400 के बीच में, ऐसी लिटरों का प्रयोग किया जाए ताकि अक्षुण्णु की दोलन होता हो ?

- (a) 32
- (b) 36
- (c) 40
- (d) 45

16. यदि "TIGER" के अवधि के लिए विकल्प है किसी तरह तार उपयोग करते हों तो

- (a) 72
- (b) 36
- (c) 18
- (d) 12

17. यदि दोनों α और β , समीकरण $x^2 + px + q = 0$ के मूल हैं। यदि α^3 और β^3 , समीकरण $x^2 + mx + n = 0$ के मूल हैं, तो $m + n$ का मान क्या है ?

- (a) $p^3 + q^3 + pq$
- (b) $p^3 + q^3 - pq$
- (c) $p^3 + q^3 + 3pq$
- (d) $p^3 + q^3 - 3pq$

18. यदि दोनों α और β , समीकरण $x^2 - ax - bx + ab - c = 0$ के मूल हैं। यह दोनों मूल द्विघात समीकरण है तिनों मूलों का योग है ?

- (a) $x^2 - ax - \beta x + \alpha\beta + c = 0$
- (b) $x^2 - ax - \beta x + \alpha\beta - c = 0$
- (c) $x^2 + ax + \beta x + \alpha\beta + c = 0$
- (d) $x^2 + ax + \beta x + \alpha\beta - c = 0$

19. यदि समीकरण

$x^2 - ax - bx - cx + bc + ca - 0$ के $\frac{1}{x}$ के गुण हैं, तो दोनों गुणों में से एक-एक गुण है ?

- (a) $a + b + c = 0$
- (b) $a - b + c = 0$
- (c) $a + b - c = 0$
- (d) $-a + b + c = 0$

- 13.** If $C(3n, 2x) = C(3n, 2n-7)$, then what is the value of $C(n, n-5)$?
- 42
 - 35
 - 28
 - 21
- 14.** What is the value of
 $C(51, 21) + C(51, 22) + C(51, 23) +$
 $C(51, 24) + C(51, 25) + C(51, 26) +$
 $C(51, 27) + C(51, 28) + C(51, 29) +$
 $C(51, 30)$?
- $C(51, 25)$
 - $C(51, 27)$
 - $C(51, 51) - C(51, 0)$
 - $C(51, 25) - C(51, 27)$
- 15.** How many odd numbers between 300 and 400 are there in which none of the digits is repeated?
- 22
 - 36
 - 40
 - 45
- 16.** How many permutations are there of the letters of the word 'TIGER' in which the vowels should not occupy the even positions?
- 72
 - 36
 - 18
 - 12
- 17.** Let α and β be the roots of the equation $x^2 + px + q = 0$. If α^3 and β^3 are the roots of the equation $x^2 + rx + s = 0$, then what is the value of $r + s$?
- $p^3 + q^3 + pq$
 - $p^3 + q^3 - pq$
 - $p^2 + q^2 + 3pq$
 - $p^2 + q^2 - 3pq$
- 18.** Let α and β be the roots of the equation $x^2 - ax - bx + ab - c = 0$. What is the quadratic equation whose roots are a and b ?
- $x^2 - \alpha x - \beta x + \alpha\beta + c = 0$
 - $x^2 - \alpha x - \beta x + \alpha\beta - c = 0$
 - $x^2 + \alpha x + \beta x + \alpha\beta + c = 0$
 - $x^2 + \alpha x + \beta x + \alpha\beta - c = 0$
- 19.** If the roots of the equation $x^2 - ax - bx - cx + bc + ca = 0$ are equal, then which one of the following is correct?
- $a + b + c = 0$
 - $a - b + c = 0$
 - $a + b - c = 0$
 - $-a + b + c = 0$

20. यदि लोगों के और β ($\alpha > \beta$), समीकरण $x^2 - 8x + q = 0$ का युति है।
यदि $\alpha^2 - \beta^2 = 16$ है, तो q का मान क्या है?
- (a) -15
 - (b) -10
 - (c) 10
 - (d) 15
21. π का वह अधिकांश घन क्या है, जिसके बिन्दु $(30^\circ + 35^\circ), 5^\circ$ से विभाज्य है, जहाँ π एक अविभाज्य संख्या है?
- (a) 4
 - (b) 6
 - (c) 7
 - (d) 8
22. $2(2+1) + 3(3+2+1) + 4(4+3+2+1) + 5(5+4+3+2+1) + \dots + 9(9+8+7+6+5+4+3+2+1) + 2$ का मान क्या है?
- (a) 11!
 - (b) 10!
 - (c) 10+10!
 - (d) 11+10!
23. यदि $A = \{1, 2, 3\}$ है, तो A के सभी सूचनाएँ (सेट सेट) में विभिन्न जगह पड़ती हैं।

- (a) 1
 (b) 2
 (c) 4
 (d) 8
24. यदि a, b, c गुणोत्तर श्रेणी (GP) में हैं, जहाँ $a > 0, b > 0, c > 0$ है, तो निम्नलिखित में से कौन-से सत्त्व है?
- 1. a^2, b^2, c^2 गुणोत्तर श्रेणी (GP) में हैं
 - 2. $\frac{1}{a}, \frac{1}{b}, \frac{1}{c}$ गुणोत्तर श्रेणी (GP) में हैं
 - 3. $\sqrt{a}, \sqrt{b}, \sqrt{c}$ गुणोत्तर श्रेणी (GP) में हैं
- पूछे दिए गए युट का अर्थ क्या होता है?
- (a) फैलत 1 और 2
 - (b) फैलत 2 और 3
 - (c) फैलत 1 और 3
 - (d) 1, 2 और 3
25. यदि $\frac{a+b}{2}, \frac{b+c}{2}$ गुणोत्तर श्रेणी (GP)
- में हैं, तो निम्नलिखित में से कौन-सा सत्त्व है?
- (a) a, b, c समाकां श्रेणी (AP) में हैं
 - (b) a, b, c गुणोत्तर श्रेणी (GP) में हैं
 - (c) $a+b, b+c, c+a$ गुणोत्तर श्रेणी (GP) में हैं
 - (d) $a+b, b+c, c+a$ समाकां श्रेणी (AP) में हैं

20. Let α and β ($\alpha > \beta$) be the roots of the equation $x^2 - 8x + q = 0$. If $\alpha^2 - \beta^2 = 16$, then what is the value of q ?
- 15
 - 10
 - 10
 - 15
- (a) 1
 (b) 2
 (c) 4
 (d) 8
21. What is the maximum value of n such that 5^n divides $(30!)^2 + 35!$, where n is a natural number?
- 4
 - 6
 - 7
 - 8
22. What is the value of
 $2(2+1) + 3(3+2+1) + 4(4+3+2+1) +$
 $5(5+4+3+2+1) + \dots +$
 $9(9+8+7+6+5+4+3+2+1) + 27$
- 11!
 - 10!
 - 10+10!
 - 11+10!
23. If $A = \{1, 2, 3\}$, then how many elements are there in the power set of A ?
24. If a, b, c are in GP where $a > 0, b > 0, c > 0$, then which of the following are correct?
- a^2, b^2, c^2 are in GP
 - $\frac{1}{a}, \frac{1}{b}, \frac{1}{c}$ are in GP
 - $\sqrt{a}, \sqrt{b}, \sqrt{c}$ are in GP
- Select the correct answer using the code given below:
- 1 and 2 only
 - 2 and 3 only
 - 1 and 3 only
 - 1, 2 and 3
25. If $\frac{a+b}{2}, b, \frac{b+c}{2}$ are in HP, then which one of the following is correct?
- a, b, c are in AP
 - a, b, c are in GP
 - $a+b, b+c, c+a$ are in GP
 - $a+b, b+c, c+a$ are in AP

26. $\cot^2 15^\circ + \tan^2 15^\circ$ का मान क्या है ?

- (a) 12
- (b) 14
- (c) $8\sqrt{3}$
- (d) 4

27. एक विकृत ABC में,

$$\sin A - \cos B - \cos C = 0$$

तो A किसी का हो सकता है ?

- (a) $\frac{\pi}{6}$
- (b) $\frac{\pi}{4}$
- (c) $\frac{\pi}{3}$
- (d) $\frac{\pi}{2}$

28. यदि $\alpha + \beta = \frac{\pi}{4}$ और $2\sin\alpha = 1$ है,

तो $\sin 2\beta$ किसी का हो सकता है ?

- (a) $\frac{1}{3}$
- (b) $\frac{2}{3}$
- (c) $\frac{3}{4}$
- (d) $\frac{3}{5}$

29. यदि $\tan(45^\circ + \theta) = 1 + \sin 2\theta$ है, तो

$$-\frac{\pi}{4} < \theta < \frac{\pi}{4}$$

हो सकता है ?

- (a) 0
- (b) $\frac{1}{2}$
- (c) 1
- (d) 2

30. यदि नीचे दिए $\sin 2\theta = \cos 3\theta$, तो θ का

वल्युमेन है। तब $1 + 4\sin\theta$ का मान क्या

है ?

$$(यदि दिया गया है कि \sin 18^\circ = \frac{\sqrt{5}-1}{4})$$

- (a) $-\sqrt{3}$
- (b) 2
- (c) $\sqrt{3}$
- (d) 3

31. यदि $\tan\theta = -\frac{5}{12}$ है, तो $\sin\theta$ का मान क्या

हो सकता है ?

- (a) $\frac{5}{13}$, यदि $-\frac{5}{13}$ नहीं हो सकता
- (b) $-\frac{5}{13}$, यदि $\frac{5}{13}$ नहीं हो सकता
- (c) $\frac{5}{13}$ अपना $-\frac{5}{13}$
- (d) उपर्युक्त में से कोई नहीं

26. What is value of $\cot^2 15^\circ + \tan^2 15^\circ$?

- (a) 12
- (b) 14
- (c) $8\sqrt{3}$
- (d) 4

27. In a triangle ABC ,

$$\sin A - \cos B - \cos C = 0.$$

What is angle A equal to?

- (a) $\frac{\pi}{6}$
- (b) $\frac{\pi}{4}$
- (c) $\frac{\pi}{3}$
- (d) $\frac{\pi}{2}$

28. If $\alpha + \beta = \frac{\pi}{4}$ and $2\sin\alpha = 1$, then what is $\tan 2\beta$ equal to?

- (a) $\frac{1}{3}$
- (b) $\frac{2}{3}$
- (c) $\frac{1}{4}$
- (d) $\frac{1}{5}$

29. If $\tan(45^\circ + \theta) = 1 + \sin 2\theta$, where $-\frac{\pi}{4} < \theta < \frac{\pi}{4}$, then what is the value of $\cos 2\theta$?

- (a) 0
- (b) $\frac{1}{2}$
- (c) 1
- (d) 2

30. Let $\sin 2\theta = \cos 3\theta$, where θ is acute angle. What is the value of $1 + 4\sin\theta$?

$$\left(\text{given that } \sin 18^\circ = \frac{\sqrt{5}-1}{4}\right)$$

- (a) $\sqrt{3}$
- (b) 2
- (c) $\sqrt{5}$
- (d) 3

31. If $\tan\theta = -\frac{5}{12}$, then what can be the value of $\sin\theta$?

- (a) $\frac{5}{13}$ but cannot be $-\frac{5}{13}$
- (b) $-\frac{5}{13}$ but cannot be $\frac{5}{13}$
- (c) $\frac{5}{13}$ or $-\frac{5}{13}$
- (d) None of the above

32. $\cos^4 \frac{2\pi}{3} + \cos^4 \frac{5\pi}{3}$ का मान क्या है ?

- (a) $\frac{3}{2}$
- (b) $\frac{3}{4}$
- (c) $\frac{3}{8}$
- (d) $\frac{3}{16}$

33. $\sin^2\left(\frac{\pi}{4} + \theta\right) - \sin^2\left(\frac{\pi}{4} - \theta\right)$
किसके बराबर है ?

- (a) $\sin 2\theta$
- (b) $\cos 2\theta$
- (c) $2\sin \theta$
- (d) $2\cos \theta$

34. एक उत्तरीय टावर एक गोलियां प्रमाणन पर लगा है और इसके ऊपर A अवधारणा एवं एक सिक्काएँ लगाए जाते हैं। प्रमाणन के विस्तृत पर अवारदण्ड के रूप में और अधिक विवरण जोगे अवधारणा θ और 20° है। टावर की ऊँचाई क्या है ?

- (a) $4\cos \theta$
- (b) $4\sin \theta$
- (c) $4\cos 2\theta$
- (d) $4\sin 2\theta$

35. एक सूखे का जलान कोण 60° से भविष्यान्ति दौड़ाता है फ्रैंज़ वाला है तो एक दूसरा की जांच x मीटर जानी हो जाती है। यदि दूसरा की ऊँचाई $\sqrt{3}x$ मीटर है, तो विश्वसिता में जौगन-का मान है ?

- (a) $0 < \theta < 30^\circ$
- (b) $30^\circ < \theta < 45^\circ$
- (c) $45^\circ < \theta < 60^\circ$
- (d) $60^\circ < \theta < 90^\circ$

36. यदि $\tan^{-1}\left(\frac{1}{2}\right) + \tan^{-1}\left(\frac{x}{3}\right) = \frac{\pi}{4}$ है, जहाँ $0 < x < 6$ है, तो x किसके बराबर है ?

- (a) 1
- (b) 2
- (c) 3
- (d) 5

37. यदि $\tan^{-1}x + \cot^{-1}x = \pi$ है, तो x किसके बराबर है ?

- (a) 0
- (b) $\frac{1}{2}$
- (c) $\frac{1}{\sqrt{2}}$
- (d) $\frac{1}{\sqrt{3}}$

32. What is the value of

$$\cos^4 \frac{7\pi}{8} + \cos^4 \frac{5\pi}{8}$$

(a) $\frac{1}{2}$

(b) $\frac{1}{4}$

(c) $\frac{1}{8}$

(d) $\frac{1}{16}$

33. What is $\sin^2\left(\frac{\pi}{4}+\theta\right) - \sin^2\left(\frac{\pi}{4}-\theta\right)$ equal to?

(a) $\sin 2\theta$

(b) $\cos 2\theta$

(c) $2\sin\theta$

(d) $2\cos\theta$

34. A vertical tower stands on a horizontal plane and is surrounded by a vertical flagstaff of height k . At a point on the plane the angles of elevation of the bottom and top of the flagstaff are θ and 2θ respectively. What is the height of the tower?

(a) $k\cos\theta$

(b) $k\sin\theta$

(c) $k\cos 2\theta$

(d) $k\sin 2\theta$

35. The shadow of a tower becomes x metre longer, when the angle of elevation of sun changes from 60° to θ . If the height of the tower is $\sqrt{3}x$ metre, then which one of the following is correct?

(a) $0 < \theta < 30^\circ$

(b) $30^\circ < \theta < 45^\circ$

(c) $45^\circ < \theta < 60^\circ$

(d) $60^\circ < \theta < 90^\circ$

36. If $\tan^{-1}\left(\frac{1}{2}\right) + \tan^{-1}\left(\frac{x}{3}\right) = \frac{\pi}{4}$, where $0 < x < 6$, then what is x equal to?

(a) 1

(b) 2

(c) 3

(d) 5

37. If $2\sin^{-1}x + \cos^{-1}x = \pi$, then what is x equal to?

(a) 0

(b) $\frac{1}{2}$

(c) $\frac{1}{\sqrt{2}}$

(d) $\frac{1}{\sqrt{3}}$

38. यदि $\tan\alpha + \tan\beta = 1 - \tan\alpha \tan\beta$ है, तर्हा $\tan\alpha \tan\beta = 1$ है, तो निम्नलिखित में से कौन-सा $(\alpha + \beta)$ का मान में से एक सही है ?

(a) $\frac{\pi}{6}$

(b) $\frac{\pi}{4}$

(c) $\frac{\pi}{3}$

(d) $\frac{\pi}{2}$

39. यदि $(1 + \tan\theta)(1 + \tan 9\theta) = 2$ है, तो $\tan(10\theta)$ का मान क्या है ?

(a) 0

(b) 1

(c) 2

(d) अवश्य

40. $\sin 0^\circ + \sin 10^\circ + \sin 20^\circ + \sin 30^\circ + \dots + \sin 340^\circ$ का मान क्या है ?

(a) -1

(b) 0

(c) 1

(d) 2

41. समुच्चय $A = \{1, 2, 3, 4\}$ के उपी उपसमुच्चयों पर विचार कीजिए। उनमें से निम्नलिखित समुच्चय {4} के अधिसमुच्चय हैं ?

(a) 6

(b) 7

(c) 8

(d) 9

42. दो अंतिक समुच्चयों A और B के संबंध में निम्नलिखित कथनों पर विचार कीजिए :

1. $x \notin (A \cup B) \Rightarrow x \notin A$ तथा $x \notin B$

2. $x \in (A \cap B) \Rightarrow x \in A$ और $x \in B$

उपर्युक्त में से कौन-सा/कौन-से कथन सही है/है ?

(a) केवल 1

(b) केवल 2

(c) 1 और 2 दोनों

(d) न हो 1, न ही 2

43. दो अंतिक समुच्चयों A और B के संबंध में निम्नलिखित कथनों पर विचार कीजिए :

1. $A \cup B = A \cap B$ यदि और केवल यदि $A = B$

2. $A \Delta B = \emptyset$ यदि और केवल यदि $A = B$

उपर्युक्त में से कौन-सा/कौन-से कथन सही है/है ?

(a) केवल 1

(b) केवल 2

(c) 1 और 2 दोनों

(d) न हो 1, न ही 2

38. If $\tan\alpha + \tan\beta = 1 - \tan\alpha\tan\beta$, where $\tan\alpha\tan\beta \neq 1$, then which of the following is one of the values of $(\alpha + \beta)$?

(a) $\frac{\pi}{6}$

(b) $\frac{\pi}{4}$

(c) $\frac{\pi}{3}$

(d) $\frac{5\pi}{12}$

39. If $(1 + \tan\theta)(1 + \tan5\theta) = 2$, then what is the value of $\tan(10\theta)$?

(a) 0

(b) 1

(c) 2

(d) Infinite

40. What is the value of $\sin 0^\circ + \sin 10^\circ + \sin 20^\circ + \sin 30^\circ + \dots + \sin 360^\circ$?

(a) -1

(b) 0

(c) 1

(d) 2

41. Consider all the subsets of the set $A = \{1, 2, 3, 4\}$. How many of them are supersets of the set {4}?

(a) 6

(b) 7

(c) 8

(d) 9

42. Consider the following statements in respect of two non-empty sets A and B :

1. $x \in (A \cup B) \Rightarrow x \in A$ or $x \in B$

2. $x \notin (A \cap B) \Rightarrow x \notin A$ and $x \notin B$

Which of the above statements is/are correct?

(a) 1 only

(b) 2 only

(c) Both 1 and 2

(d) Neither 1 nor 2

43. Consider the following statements in respect of two non-empty sets A and B :

1. $A \cup B = A \cap B$ iff $A = B$

2. $A \Delta B = \emptyset$ iff $A = B$

Which of the above statements is/are correct?

(a) 1 only

(b) 2 only

(c) Both 1 and 2

(d) Neither 1 nor 2

44. यदि $x^2 - 5xy + 4y^2 = 0$ है तो Gyr द्वारा निम्नलिखित उपर्युक्त संकेत के समुच्चय \mathbb{N} में संख्या n के बारे में निम्नलिखित कथनों पर विचार कीजिए।

- n समुच्चय है
- n समिक्षित है
- n संग्रहीत है

उपर्युक्त में से कौन-सा/कौन-से कथन सही है/हैं ?

- कथन 1
- कथन 2
- कथन 1 और 2
- 1, 2 और 3

45. निम्नी समुच्चय A पर निम्नी भी संकेत R के लिए निम्नलिखित कथनों पर विचार कीजिए।

- यदि R समुच्चय है, तो R^{-1} भी समुच्चय है
- यदि R समिक्षित है, तो R^{-1} भी समिक्षित है
- यदि R संग्रहीत है, तो R^{-1} भी संग्रहीत है

उपर्युक्त में से कौन-सा/कौन-से कथन सही है/हैं ?

- कथन 1 और 2
- कथन 2 और 3
- कथन 1 और 3
- 1, 2 और 3

46. $\frac{1}{1+i}$ का मूल लोगारिदम होता है, जहाँ $i = \sqrt{-1}$ है ?

- $-\frac{3\pi}{4}$
- $-\frac{\pi}{4}$
- $\frac{\pi}{4}$
- $\frac{3\pi}{4}$

47. $\left(\frac{\sqrt{-3}-1}{2}\right)^{200}$ का माध्यम (रूपरूप) कथन है ?

- $\frac{1}{4}$
- $\frac{1}{2}$
- 1
- 2^{100}

48. निम्नलिखित कथनों पर विचार कीजिए।

- $\frac{n!}{3^n} \cdot 6$ से विभाज्य है, जहाँ $n > 3$ है
- $\frac{n!}{3^n} + 3 \cdot 7$ से विभाज्य है, जहाँ $n > 3$ है

उपर्युक्त में से कौन-सा/कौन-से कथन सही है/हैं ?

- कथन 1
- कथन 2
- 1 और 2 दोनों
- नहीं 1, नहीं 2

44. Consider the following statements in respect of the relation R in the set \mathbb{N} of natural numbers defined by xRy if $x^2 - 5xy + 4y^2 = 0$:

1. R is reflexive
2. R is symmetric
3. R is transitive

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) 1 and 2 only
- (d) 1, 2 and 3

45. Consider the following statements in respect of any relation R on a set A :

1. If R is reflexive, then R^{-1} is also reflexive
2. If R is symmetric, then R^{-1} is also symmetric
3. If R is transitive, then R^{-1} is also transitive

Which of the above statements are correct?

- (a) 1 and 2 only
- (b) 2 and 3 only
- (c) 1 and 3 only
- (d) 1, 2 and 3

46. What is the principal argument of $\frac{1}{1+i}$ where $i = \sqrt{-1}$?

- (a) $-\frac{\pi i}{4}$
- (b) $-\frac{\pi}{4}$
- (c) $\frac{\pi}{4}$
- (d) $\frac{3\pi}{4}$

47. What is the modulus of

$$\left(\frac{\sqrt{-1}-1}{2}\right)^{200}?$$

- (a) $\frac{1}{4}$
- (b) $\frac{1}{2}$
- (c) 1
- (d) 2^{100}

48. Consider the following statements:

1. $\frac{n!}{3!}$ is divisible by 6, where $n > 3$
2. $\frac{n!}{3!} + 3$ is divisible by 7, where $n > 3$

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

49. 9 विलासियों में से 5 विलासियों की एक टीम बिल्ले लड़कों से जुड़ी या सम्बन्धी है ताकि दो विशेष विलासियों को टीम से बाहर रखा जा सके ?

- (a) 14
- (b) 21
- (c) 35
- (d) 42

50. $\left(x + \frac{1}{x}\right)^{2n}$ के प्राप्त डीग्री अवधि पर में $(n+1)^{2n}$ पर का होता (जब यह x के असेवी भागी में व्यवस्थित है) ?

- (a) $C(2n, n)\mu$
- (b) $C(2n, n-1)\mu$
- (c) $C(2n, n)$
- (d) $C(2n, n-1)$

51. यदि विस्तीर्ण समांतर श्रेणी (AP) के प्रथम 9 पदों का योगफल, उसके प्रथम 11 पदों का योगफल के बराबर है, तो उसके प्रथम 20 पदों का योगफल ज्ञात है ?

- (a) 20
- (b) 10
- (c) 2
- (d) 0

52. यदि विस्तीर्ण समांतर श्रेणी (AP) का 5th पद $\frac{1}{10}$ है और उसका 10th पद $\frac{1}{5}$ है, तो उसका 50th पद का योगफल ज्ञात होता है ?

- (a) 25
- (b) 25.5
- (c) 26
- (d) 26.5

53. $(1110011)_2 + (1011)_2$ विनाशक बटनर में ?

- (a) $(101)_2$
- (b) $(1001)_2$
- (c) $(111)_2$
- (d) $(1011)_2$

54. यदि $x^2+y^2 = (100010111)_2$ और $x+y = (1111)_2$ है, तो $(x-y)^2+xy$ विनाशक बटनर में ?

- (a) $(1101)_2$
- (b) $(1001)_2$
- (c) $(1011)_2$
- (d) $(1111)_2$

49. In how many ways can a team of 5 players be selected out of 9 players so as to exclude two particular players?

- (a) 14
- (b) 21
- (c) 35
- (d) 42

50. In the expansion of $\left(x + \frac{1}{x}\right)^{2n}$, what is the $(n+1)$ th term from the end (when arranged in descending powers of x)?

- (a) $C(2n, n)x$
- (b) $C(2n, n-1)x$
- (c) $C(2n, n)$
- (d) $C(2n, n+1)$

51. If the sum of the first 9 terms of an AP is equal to sum of the first 11 terms, then what is the sum of the first 20 terms?

- (a) 20
- (b) 10
- (c) 2
- (d) 0

52. If the 5th term of an AP is $\frac{1}{10}$ and its 10th term is $\frac{1}{3}$, then what is the sum of first 50 terms?

- (a) 25
- (b) 25.5
- (c) 26
- (d) 26.5

53. What is $(1110011)_2 - (10111)_2$ equal to?

- (a) $(101)_2$
- (b) $(1001)_2$
- (c) $(111)_2$
- (d) $(1011)_2$

54. If $x^2 + y^2 = (100010111)_2$ and $x+y = (11111)_2$, then what is $(x-y)^2 + xy$ equal to?

- (a) $(1101)_2$
- (b) $(1001)_2$
- (c) $(1011)_2$
- (d) $(1111)_2$

55. निम्नलिखित

$3x - 4y + 12 < 0$, $x + y < 2$, $x < 0$ और
 $y > 0$ पर विचार कीजिए। निम्नलिखित में से
कौन-सा निन्दु ग्राफिक्स छेत्र में है ?

- (a) $(0, 0)$
- (b) $(-2, 4)$
- (c) $(-1, 4)$
- (d) $(-1, 2)$

56. फलन $y = \{x\}$, $x \in (-1, 1)$ ने निम्न दो
निम्नलिखित बदलों पर विचार कीजिए, जहाँ
(.) व्यापार मूल्य घटता है :

1. $x = 0.5$ पर इनका अवकलन 0 है

2. यह $x = 0.5$ का संतत है

उपर्युक्त में से कौन-सा/कौन-से कथन सही
है/है ?

- (a) केवल 1
- (b) केवल 2
- (c) 1 और 2 दोनों
- (d) न तो 1, न तो 2

57. अवकल समीकरण $1 + \left(\frac{dy}{dx}\right)^2 = \left(\frac{d^2y}{dx^2}\right)^2$
का उत्तर यह है ?

- (a) $\frac{4}{3}$
- (b) 2
- (c) 3
- (d) 4

58. एक रोडवेपर्सी व्हार्फ के लाव तोने वाले द्वारा,
उस व्हार्फ पर विद्युत ऊर्जा के सम्पूर्णता
है। यदि उसका व्हार्फ 100 वर्ट में लाव
होता है, तो उस व्हार्फ (अनुरूपित)
विद्युत का है :

- (a) $\frac{\ln 2}{100}$
- (b) $\frac{\ln 2}{100}$
- (c) $\frac{\ln 10}{100}$
- (d) $\frac{2 \ln 2}{100}$

59. फलन $f(x) = \sqrt{1 - (x-1)^2}$ का प्राप्त अवकलन है ?

- (a) $(0, 1)$
- (b) $[-1, 1]$
- (c) $(0, 2)$
- (d) $[0, 2]$

60. फलन $y^2 = 4x$ और इसके नाभियों
(वैद्युत लेटर) द्वारा घेरिये होने का उत्तरावल
24 वर्ट इकाई है, यहाँ $x > 0$ है। इसका आवा
कथा है ?

- (a) 1
- (b) 2
- (c) 3
- (d) 4

55. Consider the inequalities

$5x - 4y + 12 < 0$, $x + y < 2$, $x < 0$ and $y > 0$. Which one of the following points lies in the common region?

- (a) (0, 0)
- (b) (-2, 4)
- (c) (-1, 4)
- (d) (-1, 2)

56. Consider the following statements in respect of the function $y = [x]$, $x \in (-1, 1)$ where $[.]$ is the greatest integer function:

- 1. Its derivative is 0 at $x = 0.5$.
- 2. It is continuous at $x = 0$.

Which of the above statements is/are correct?

- (a) 1 only.
- (b) 2 only.
- (c) Both 1 and 2.
- (d) Neither 1 nor 2.

57. What is the degree of the differential

$$\text{equation } 1 + \left(\frac{dy}{dx} \right)^2 = \left(\frac{d^2y}{dx^2} \right)^{\frac{1}{2}}$$

- (a) $\frac{4}{3}$
- (b) 2
- (c) 3
- (d) 4

58. A radioactive substance decays at a rate proportional to the amount of substance present. If half of the substance decays in 100 years, then what is the decay constant (proportionality constant)?

- (a) $\frac{\ln 2}{100}$
- (b) $\frac{\ln 5}{100}$
- (c) $\frac{\ln 10}{100}$
- (d) $\frac{2 \ln 2}{100}$

59. What is the domain of the function

$$f(x) = \sqrt{1 - (x - 1)^2} ?$$

- (a) (0, 1)
- (b) [-1, 1]
- (c) (0, 2)
- (d) [0, 2]

60. The area of the region bounded by the parabola $y^2 = 4kx$, where $k > 0$ and its latus rectum is 24 square units. What is the value of k ?

- (a) 1
- (b) 2
- (c) 3
- (d) 4

61. $\int_0^{\frac{\pi}{2}} \frac{dx}{(\sin x + \cos x)^2}$ फलों में से कौन है ?

(a) $-\frac{1}{2}$

(b) $\frac{1}{2}$

(c) 1

(d) $\frac{3}{2}$

62. $\int (\sin x)^{-1/2} (\cos x)^{-1/2} dx$ फलों में से कौन है ?

(a) $\sqrt{\tan x} + c$

(b) $2\sqrt{\tan x} + c$

(c) $\sqrt{\cot x} + c$

(d) $\sqrt{2\tan x} + c$

63. यदि $I_1 = \int \frac{e^x dx}{e^x + e^{-x}}$ और $I_2 = \int \frac{dx}{e^{2x} + 1}$

हो, तो $I_1 + I_2$ फलों में से कौन है ?

(a) $\frac{x}{2} + c$

(b) $x + c$

(c) $\ln(e^x + e^{-x}) + c$

(d) $\ln(e^x - e^{-x}) + c$

64. $\int_{-2}^1 \frac{x}{|x|} dx$ फलों में से कौन है ?

(a) -2

(b) -1

(c) 1

(d) 2

65. $\sin 4x + 2x$ फलों में से कौन है ? (उत्तर : $0 < x < \frac{\pi}{2}$)

(a) 1

(b) 2

(c) 4

(d) 8

66. यदि $f(x) = \frac{1}{\tan x + \cot x}$ तो अधिकतम मान का है, जब $0 < x < \frac{\pi}{2}$?

(a) $\frac{1}{4}$

(b) $\frac{1}{2}$

(c) 1

(d) 2

67. यदि

$$4f(x) - f\left(\frac{1}{x}\right) = \left(2x + \frac{1}{x}\right)\left(2x - \frac{1}{x}\right)$$

तो $f(x)$ फलों में से कौन है ?

(a) 0

(b) 1

(c) 2

(d) 4

61. What is $\int_0^{\frac{\pi}{2}} \frac{dx}{(\sin x + \cos x)^2}$ equal to?

- (a) $-\frac{1}{2}$
- (b) $\frac{1}{2}$
- (c) 1
- (d) $\frac{3}{2}$

62. What is $\int (\sin x)^{-\frac{1}{2}} (\cos x)^{-\frac{3}{2}} dx$ equal to?

- (a) $\sqrt{\tan x} + c$
- (b) $2\sqrt{\tan x} + c$
- (c) $\sqrt{\cot x} + c$
- (d) $\sqrt{2\tan x} + c$

63. If $I_1 = \int \frac{e^x dx}{e^x + e^{-x}}$ and $I_2 = \int \frac{dx}{e^{2x} + 1}$,
then what is $I_1 + I_2$ equal to?

- (a) $\frac{x}{2} + c$
- (b) $x + c$
- (c) $\ln(e^x + e^{-x}) + c$
- (d) $\ln(e^x - e^{-x}) + c$

64. What is $\int_{-2}^{-1} \frac{x}{|x|} dx$ equal to?

- (a) -2
- (b) -1
- (c) 1
- (d) 2

65. How many extreme values does $\sin 4x + 2x$, where $0 \leq x \leq \frac{\pi}{2}$ have?

- (a) 1
- (b) 2
- (c) 4
- (d) 8

66. What is the maximum value of the function $f(x) = \frac{1}{\tan x + \cot x}$, where $0 < x < \frac{\pi}{2}$?

- (a) $\frac{1}{4}$
- (b) $\frac{1}{2}$
- (c) 1
- (d) 2

67. If

$$4f(x) - f\left(\frac{1}{x}\right) = \left(2x + \frac{1}{x}\right)\left(2x - \frac{1}{x}\right),$$

then what is $f(2)$ equal to?

- (a) 0
- (b) 1
- (c) 2
- (d) 4

68. यदि $f(x) = 4x + 3$ है, तो $f'(f(-1))$ किसके बराबर है ?

- (a) -1
- (b) 0
- (c) 1
- (d) 2

69. यदि $x^2y^2 = 1$ है, तो $(1, 1)$ पर $\frac{dy}{dx}$ किसके बराबर है ?

- (a) -1
- (b) 0
- (c) 1
- (d) 4

70. यदि $y = (x^2)^x$ है, तो $x=1$ पर $\frac{dy}{dx}$ का मान क्या है ?

- (a) $\frac{1}{2}$
- (b) 1
- (c) 2
- (d) 4

71. यदि फलाग्न $y = [x+1]$, $-4 < x < -3$, तब $[.]$ अवधार दूषिक करता है। $x = -3.5$ पर y के संकेत में y का अवधार करता है ?

- (a) -4
- (b) -3.5
- (c) -3
- (d) 0

72. यदि $\frac{dy}{dx} = (\ln 5)x$, तब $y(0) = \ln 5$ है, तो $y(1)$ किसके बराबर है ?

- (a) 0
- (b) 5
- (c) $2\ln 5$
- (d) $5\ln 5$

73. यदि $f(x) = 10^x$ के लिए में विस्तीर्ण पर विचार कीजिए :

1. अवधार प्राप्त $(-\infty, \infty)$ है
 2. यह एक संतुलित फलाह है
 3. यह $x = 0$ पर अवधारनीय है
- उपर्युक्त में से जोन्होंके बाबा सही है ?
- (a) सेवन 1 और 2
 - (b) सेवन 2 और 3
 - (c) सेवन 1 और 3
 - (d) 1, 2 और 3

74. $\lim_{x \rightarrow 0} x^2 (\csc x)^2$ किसके बराबर है ?

- (a) 0
- (b) $\frac{1}{2}$
- (c) 1
- (d) संकेत का अवधार नहीं है

75. $\lim_{x \rightarrow 1} \frac{x^3 - 1}{\sqrt{x-1}}$ किसके बराबर है ?

- (a) 0
- (b) 3
- (c) 6
- (d) संकेत का अवधार नहीं है

68. If $f(x) = 4x + 3$, then what is $f \circ f \circ f(-1)$ equal to?

- (a) -1
- (b) 0
- (c) 1
- (d) 2

69. If $x^3y^2 = 1$, then what is $\frac{dy}{dx}$ at $(1, 1)$ equal to?

- (a) -1
- (b) 0
- (c) 1
- (d) 4

70. If $y = (x^2)^x$, then what is the value of $\frac{dy}{dx}$ at $x = 1$?

- (a) $\frac{1}{2}$
- (b) 1
- (c) 2
- (d) 4

71. Let $y = [x + 1]$, $-4 < x < -3$ where $[.]$ is the greatest integer function. What is the derivative of y with respect to x at $x = -3.5$?

- (a) -4
- (b) -3.5
- (c) -3
- (d) 0

72. If $\frac{dy}{dx} = (\ln 5)y$ with $y(0) = \ln 5$, then what is $y(1)$ equal to?

- (a) 0
- (b) 5
- (c) $2\ln 5$
- (d) $5\ln 5$

73. Consider the following in respect of the function $f(x) = 10^x$:

1. Its domain is $(-\infty, \infty)$
2. It is a continuous function
3. It is differentiable at $x = 0$

Which of the above statements are correct?

- (a) 1 and 2 only
- (b) 2 and 3 only
- (c) 1 and 3 only
- (d) 1, 2 and 3

74. What is $\lim_{x \rightarrow 0} x^2 (\csc x)^2$ equal to?

- (a) 0
- (b) $\frac{1}{2}$
- (c) 1
- (d) Limit does not exist

75. What is $\lim_{x \rightarrow 5} \frac{x^3 - 1}{x^2 - 25}$ equal to?

- (a) 0
- (b) 3
- (c) 6
- (d) Limit does not exist

76. निम्नलिखित में से किस अंतराल में फलन
 $f(x) = \frac{x^3}{3} - \frac{7x^2}{2} + 6x + 5$ द्विघातन है ?

- (a) अंतराल $(-\infty, 1)$
- (b) $(1, \infty)$
- (c) अंतराल $(6, \infty)$
- (d) $(-\infty, 1) \cup (6, \infty)$

77. यदि $x=2$ पर फलन $f(x) = \frac{m}{x} + 2x + 1$
 का अवकलन सूखा है, तो $m+8n$ का मान
 क्या है ?

- (a) -2
- (b) 0
- (c) 2
- (d) अवर्णन एवं (मिटा) के पारस्पर निपुण
 नहीं किया जा सकता

78. यदि $y = x$ और $y = x^2$ के बीच में, वहले
 अवकलन में अवोल्युम एवं का अनुपात क्या
 है ?

- (a) $\frac{1}{6}$ अवोल्युम
- (b) $\frac{1}{4}$ अवोल्युम
- (c) $\frac{1}{2}$ अवोल्युम
- (d) 1 अवोल्युम

79. यदि $xy = 4225$ है, जहाँ x और y धनरूप
 अंतराल है, तो $x+y$ का न्यूनतम मान क्या
 है ?

- (a) 130
- (b) 260
- (c) 2113
- (d) 4226

80. अवोल्युम $x \frac{dy}{dx} - 2y = 0$ का निरूपित अन्तराल
 है ?

- (a) एक सारा सेक्षन-कुल
- (b) एक कूल-कुल
- (c) एक अवकलन-कुल
- (d) एक द्विविभृत-कुल

81. यदि निम्नांक $(-3, 0), (5\rho^2, 10\rho)$ और
 $(5\rho^2, 10\rho)$ वाले निम्न सरोकीय हैं, तो $\rho\eta$ का
 मान क्या है, जहाँ $\mu = \rho$ है ?

- (a) -2
- (b) -1
- (c) 1
- (d) 2

82. यदि एक वृत्त का कर्णीकलन का है तो निम्न
 (1, -2) से गुरुत्वी है और उसके पार अंतराल
 अवोल्युम बाहरी है ?

- (a) $x+y-1=0$
- (b) $x-y-1=0$
- (c) $x+y+1=0$
- (d) $x-y-2=0$

76. In which one of the following intervals is the function $f(x) = \frac{x^3}{3} - \frac{7x^2}{2} + 6x + 5$ decreasing?

- (a) $(-\infty, 1)$ only
- (b) $(1, 6)$
- (c) $(6, \infty)$ only
- (d) $(-\infty, 1) \cup (6, \infty)$

77. If the derivative of the function $f(x) = \frac{m}{x} + 2nx + 1$ vanishes at $x=2$, then what is the value of $m+8n$?

- (a) -2
- (b) 0
- (c) 2
- (d) Cannot be determined due to insufficient data

78. What is the area included in the first quadrant between the curves $y=x$ and $y=x^2$?

- (a) $\frac{1}{8}$ square unit
- (b) $\frac{1}{4}$ square unit
- (c) $\frac{1}{2}$ square unit
- (d) 1 square unit

79. If $xy = 4225$ where x, y are natural numbers, then what is the minimum value of $x+y$?

- (a) 130
- (b) 260
- (c) 2113
- (d) 4226

80. What does the equation $x\frac{dy}{dx} - 2y = 0$ represent?

- (a) A family of straight lines
- (b) A family of circles
- (c) A family of parabolas
- (d) A family of ellipses

81. If the points with coordinates $(-5, 0)$, $(5\rho^2, 10\rho)$ and $(5\varrho^2, 10\varrho)$ are collinear, then what is the value of $\rho\varrho$ where $\rho \neq \varrho$?

- (a) -2
- (b) -1
- (c) 1
- (d) 2

82. What is the equation of the straight line which passes through the point $(1, -2)$ and cuts off equal intercepts from the axes?

- (a) $x+y-1=0$
- (b) $x-y-1=0$
- (c) $x+y+1=0$
- (d) $x-y-2=0$

83. जब युवा नाम संकेतन करा है तो इसमें चतुर्भुज में दोनों अंकों और रेखा $y - 2 = 0$ को संरचना करता है ?

- (a) $x^2 + y^2 - 2x - 2y - 1 = 0$
- (b) $x^2 + y^2 + 2x + 2y + 1 = 0$
- (c) $x^2 + y^2 - 2x - 2y + 1 = 0$
- (d) $x^2 + y^2 - 4x - 4y + 4 = 0$

84. नाम (-3, 0) और लिंग 3 - 3 = 0 को संकेतन कर संरचना करा है ?

- (a) $y^2 = 3x$
- (b) $x^2 = 12y$
- (c) $y^2 = 12x$
- (d) $y^2 = -12x$

85. दिए गए $x^2 + 2y^2 = 1$ की नामिकरण के बीच की दूरी क्या है ?

- (a) 1
- (b) $\sqrt{2}$
- (c) 2
- (d) $2\sqrt{2}$

86. नाम लौलिय लिंगो लिंगो ABC की चूकाओं BC, CA और AB की संकेतनी उम्मीदः a, b और c हैं। यदि p या लिंगो का प्रतिक्रिया और q संरचना है, तो

- $p(p - 2a) \tan\left(\frac{A}{2}\right)$ लिंगों का उत्तर है ?
- (a) q
 - (b) $2q$
 - (c) $3q$
 - (d) $4q$

87. नाम लौल लौल $x + 2y + 2 = 0$ और $2x - 3y - 3 = 0$ के इन्सिनेट लिंग में चूकाओं ॥। यह चौथे चतुर्भुज में संरचना अतः उत्तर चूकाती है। अतः उत्तर के लिंगों में से कौन सा संरचना करा है ?

- (a) 2
- (b) 3
- (c) 4
- (d) 6

88. दिए गए प्रतिवर्णों के अंदर देखें $ax + by + c = 0$ और $bx + ay + c = 0$ समान (a $\neq 0$, b $\neq 0$) ॥।

- (a) यदि $a - b = 0$
- (b) यदि $a + b = 0$
- (c) $a^2 - b^2 = 0$
- (d) $ab + 1 = 0$

83. What is the equation of the circle which touches both the axes in the first quadrant and the line $y - 2 = 0$?
- $x^2 + y^2 - 2x - 2y - 1 = 0$
 - $x^2 + y^2 + 2x + 2y + 1 = 0$
 - $x^2 + y^2 - 2x - 2y + 1 = 0$
 - $x^2 + y^2 - 4x - 4y + 4 = 0$
84. What is the equation of the parabola with focus $(-3, 0)$ and directrix $x - 3 = 0$?
- $y^2 = 3x$
 - $x^2 = 12y$
 - $y^2 = 12x$
 - $y^2 = -12x$
85. What is the distance between the foci of the ellipse $x^2 + 2y^2 = 17$?
- 1
 - $\sqrt{2}$
 - 2
 - $2\sqrt{2}$
86. Let a, b, c be the lengths of sides BC, CA, AB respectively of a triangle ABC . If p is the perimeter and q is the area of the triangle, then what is $p(p - 3q) \tan\left(\frac{\pi}{2}\right)$ equal to?
- q
 - $2q$
 - $3q$
 - $4q$
87. A straight line passes through the point of intersection of $x + 2y + 2 = 0$ and $2x - 3y - 3 = 0$. It cuts equal intercepts in the fourth quadrant. What is the sum of the absolute values of the intercepts?
- 2
 - 3
 - 4
 - 6
88. Under which one of the following conditions are the lines $ax + by + c = 0$ and $bx + ay + c = 0$ parallel ($a \neq 0, b \neq 0$)?
- $a = b = 0$ only
 - $a + b = 0$ only
 - $a^2 = b^2 = 0$
 - $ab + 1 = 0$

89. यदि $x + y = p$ को निरूपण तात्त्व से काटने पर प्राप्त रेखाओं के मध्यमें के बिन्दुपथ का समीकरण ज्ञा है, (जहाँ p एक धनात्मक संख्या है) ?

- (a) $x - y = 0$
- (b) $x + y = 0$
- (c) $x - y = p$
- (d) $x + y = p$

90. यदि बिंदु (x, y) बिंदु $(2x, 0)$ तथा $(0, 3x)$ के बीच की दूरी पर है, जहाँ $x > 0$ है, तो निम्नलिखित में से जोड़ा-भा सही है ?

- (a) $2x - 3y = 0$
- (b) $3x - 2y = 0$
- (c) $4x - 6y + 5x = 0$
- (d) $4x - 6y - 5x = 0$

उपरोक्तीय (89) प्रश्नों के लिए निम्नलिखित घटनाएँ अधिकृत हैं :

समलग्न $6x + ky + 3z - 12 = 0$, जहाँ $k \neq 0$ है, निरूपण तात्त्व को छेत्र A, B तथा C पर विभाज्य है। मूलबिंदु तथा A, B, C से गुरुत्व धारण तो समीकरण $x^2 + y^2 + z^2 - 2x - 3y - 4z = 0$ है।

91. k का मान क्या है ?

- (a) 3
- (b) 4
- (c) 6
- (d) 12

92. यदि p गोले के बेन्द से समान चर समान हो है, तो निम्नलिखित में से जोड़ा-भा सही है ?

- (a) $0 < p < 0.5$
- (b) $0.5 < p < 1$
- (c) $1 < p < 1.5$
- (d) $p > 1.5$

93. मूलबिंदु तथा गोले के बेन्द से गुरुत्व धारण तो समीकरण ज्ञा है ?

- (a) $x = y = z$
- (b) $2x - 3y = 4z$
- (c) $6x - 3y = 4z$
- (d) $6x - 4y = 3z$

उपरोक्तीय (92) प्रश्नों के लिए निम्नलिखित पर विवाद अधिकृत हैं :

पाठ्य लेसियर नियम $\frac{2x}{k} + \frac{2y}{3} + \frac{z}{3} = 2$, बिंदु $(2, 1, -6)$ से गुरुत्वा है।

94. समान एवं विपरीत अधिकृत के इकू-जनुपता क्या है ?

- (a) $\langle 3, 2, 1 \rangle$
- (b) $\langle 2, 3, 6 \rangle$
- (c) $\langle 6, 3, 2 \rangle$
- (d) $\langle 1, 2, 3 \rangle$

89. What is the equation of the locus of the mid-point of the line segment obtained by cutting the line $x + y = p$, (where p is a real number) by the coordinate axes?

- (a) $x - y = 0$
- (b) $x + y = 0$
- (c) $x - y = p$
- (d) $x + y = p$

90. If the point (x, y) is equidistant from the points $(2a, 0)$ and $(0, 3a)$ where $a > 0$, then which one of the following is correct?

- (a) $2x - 3y = 0$
- (b) $3x - 2y = 0$
- (c) $4x - 6y + 5a = 0$
- (d) $4x - 6y - 5a = 0$

Consider the following for the next three (91) items that follow:

The plane $kx + ky + 3x - 12 = 0$ where $k \neq 0$ meets the coordinate axes at A , B and C respectively. The equation of the sphere passing through the origin and A , B , C is $x^2 + y^2 + z^2 - 2x - 3y - 4z = 0$.

91. What is the value of k ?

- (a) 3
- (b) 4
- (c) 6
- (d) 12

92. If p is the perpendicular distance from the centre of the sphere to the plane, then which one of the following is correct?

- (a) $0 < p < 0.5$
- (b) $0.5 \leq p \leq 1$
- (c) $1 < p < 1.5$
- (d) $p > 1.5$

93. What is the equation of the line through the origin and the centre of the sphere?

- (a) $x = y = z$
- (b) $2x - 3y = 4z$
- (c) $6x - 3y = 4z$
- (d) $6x - 4y = 3z$

Consider the following for the next two (94) items that follow:

Let the plane $\frac{2x}{k} + \frac{2y}{3} + \frac{z}{j} = 2$ pass through the point $(2, 3, -6)$.

94. What are the direction ratios of a normal to the plane?

- (a) $<3, 2, 1>$
- (b) $<2, 3, 6>$
- (c) $<6, 3, 2>$
- (d) $<1, 2, 3>$

95. यदि एक त्रिकोण द्वारा निरूपित करनी पड़े तो p , q और r , तो $(p+q+r)$ निरूपित करता है।

- (a) 10
- (b) 11
- (c) 12
- (d) 13

96. यदि $4l + j = 3k$ और $pl + qj = 2k$ को संबंधित है, तो p और q के संबंध में क्या कहा जाता है?

- (a) 4, 1
- (b) 1, 4
- (c) $\frac{2}{3}, \frac{2}{3}$
- (d) $\frac{2}{3}, \frac{1}{3}$

97. यदि बिंदु P त्रिकोण ABC के शीर्षों A , B और C के लिये अस्तित्व रखता है, a , b और c हैं, तो P का बिंदु विभाग का केन्द्र है, तो \overline{PG} निम्नलिखित कारणों पर निर्भावित है:

- (a) $\vec{a} + \vec{b} + \vec{c}$
- (b) $\frac{2\vec{a} - \vec{b} - \vec{c}}{3}$
- (c) $\frac{\vec{b} + \vec{c} - 2\vec{a}}{3}$
- (d) $\frac{\vec{a} - 2\vec{b} - 2\vec{c}}{3}$

98. निम्नलिखित कारणों पर निर्भावित है:

1. अदिवा गुणात्मक, असिवा गोणात्मक एवं चटनात्मक है।
 2. समिवा गुणात्मक, असमिवा गोणात्मक एवं चटनात्मक है।
 3. समिवी वा असमिवा गुणात्मक गोणात्मक है।
- उपर्युक्त में से जीव-जा/जीव-से व्यवस्था है/है?
- (a) व्यवस्था 1
 - (b) व्यवस्था 2
 - (c) व्यवस्था 1 और 2
 - (d) 1, 2 और 3

99. यदि \vec{a} , \vec{b} और \vec{c} तीन शुद्धेतर अदिवा इन व्यवस्था हैं तो $\vec{a} \times (\vec{b} \times \vec{c}) = \vec{c} \times \vec{a}$ है। यह निम्नलिखित कारणों पर निर्भावित है:

1. यदि \vec{a} और \vec{c} विपरीत हैं तो \vec{c} अदिवीय है।
2. यदि \vec{a} और \vec{c} विपरीत हैं तो \vec{a} अदिवीय है।

उपर्युक्त में से जीव-जा/जीव-से व्यवस्था है/है?

- (a) व्यवस्था 1
- (b) व्यवस्था 2
- (c) 1 और 2 दोनों
- (d) न तो 1, न ही 2

95. If p , q and r are the intercepts made by the plane on the coordinate axes respectively, then what is $(p+q+r)$ equal to?

- (a) 10
- (b) 11
- (c) 12
- (d) 13

96. If $4\hat{i} + \hat{j} - 3\hat{k}$ and $p\hat{i} + q\hat{j} - 2\hat{k}$ are collinear vectors, then what are the possible values of p and q respectively?

- (a) 4, 1
- (b) 1, 4
- (c) $\frac{8}{3}, \frac{2}{3}$
- (d) $\frac{2}{3}, \frac{8}{3}$

97. If \vec{a} , \vec{b} , \vec{c} are the position vectors of the vertices A , B , C respectively of a triangle ABC and G is the centroid of the triangle, then what is \overline{AG} equal to?

- (a) $\frac{\vec{a} + \vec{b} + \vec{c}}{3}$
- (b) $\frac{2\vec{a} - \vec{b} - \vec{c}}{3}$
- (c) $\frac{\vec{b} + \vec{c} - 2\vec{a}}{3}$
- (d) $\frac{\vec{a} - 2\vec{b} - 2\vec{c}}{3}$

98. Consider the following statements:

1. Dot product over vector addition is distributive
2. Cross product over vector addition is distributive
3. Cross product of vectors is associative

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) 1 and 2 only
- (d) 1, 2 and 3

99. Let \vec{a} , \vec{b} , \vec{c} be three non-zero vectors such that $\vec{a} \times \vec{b} = \vec{c}$. Consider the following statements:

1. \vec{a} is unique if \vec{b} and \vec{c} are given
2. \vec{c} is unique if \vec{a} and \vec{b} are given

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

100. यदि वीजिए a और b , दो इकाई शंखित हैं तो क्या है कि $|a - b| < 2$ है। यदि a और b के बीच जो दूरी 20 है, तो विनाशितन में से यहाँ-सा जहाँ है ?

- (a) जैव $0 < \sin\theta < 1$
- (b) जैव $-\frac{1}{2} < \sin\theta < \frac{1}{2}$
- (c) जैव $-1 < \sin\theta < 0$
- (d) $-1 < \sin\theta < 1$

101. 1, 2, 3, 4, 5 में से दो अंक प्रत्यक्षित होने से जुड़े जाते हैं और उन्हें एक-दूसरे से दुष्का किया जाता है। इस जाते जूदा प्रतिक्रिया है कि इस गुणतात्त्व का असिय अंक 0 आए ?

- (a) $\frac{1}{10}$
- (b) $\frac{1}{5}$
- (c) $\frac{2}{5}$
- (d) $\frac{4}{5}$

102. एक लग्नोम से यात्र इस (लेट) के अनुप्रयोग जाता है (एकलानुप्रयोगी यात्रों का) वार्ता जैसा जिक्र है। यात्र में यात्रा विषयों विकल्पों का लक्षण है ?

- (a) यात्रा > विषयों > वार्ता
- (b) यात्रा > वार्ता > विषयों
- (c) विषयों > यात्रा > वार्ता
- (d) वार्ता > विषयों > यात्रा

103. एक चतुर्भुज का प्रमाण 36 है। यदि इस प्रेसों में से चार घेहाएं 2, 2, 4, 5 हैं, तो छेष प्रेस का है ?

- (a) 4
- (b) 5
- (c) 7
- (d) 9

104. एक सामान्य शेषी (AP) के 50 फटे का सामान्य यात्रा का योग विकल्प प्राप्त यह 4 और सर्व बाहर 4 है ?

- (a) 50
- (b) 51
- (c) 100
- (d) 102

105. 21, 34, 23, 39, 26, 37, 40, 20, 33, 27 के साथ विकल्प युक्त (साथ से जिक्र जाता है) का है ?

- (a) 0-11
- (b) 0-22
- (c) 0-33
- (d) 0-44

100. Let \vec{a} and \vec{b} be two unit vectors such that $|\vec{a} - \vec{b}| < 2$. If 2θ is the angle between \vec{a} and \vec{b} , then which one of the following is correct?

- (a) $0 < \sin\theta < 1$ only
- (b) $-\frac{1}{2} < \sin\theta < \frac{1}{2}$ only
- (c) $-1 < \sin\theta < 0$ only
- (d) $-1 < \sin\theta < 1$

101. Two digits out of 1, 2, 3, 4, 5 are chosen at random and multiplied together. What is the probability that the last digit in the product appears as 0?

- (a) $\frac{1}{10}$
- (b) $\frac{1}{5}$
- (c) $\frac{2}{5}$
- (d) $\frac{4}{5}$

102. The frequency curve (assuming unimodal) corresponding to the data obtained in an experiment is skewed to the left. What conclusion can be drawn from the curve?

- (a) Mean > Median > Mode
- (b) Mean > Mode > Median
- (c) Median > Mean > Mode
- (d) Mode > Median > Mean

103. The variance of five positive observations is 3.6. If four of the observations are 1, 2, 4, 5 then what is the remaining observation?

- (a) 4
- (b) 5
- (c) 7
- (d) 9

104. What is the arithmetic mean of 50 terms of an AP with first term 4 and common difference 4?

- (a) 50
- (b) 51
- (c) 100
- (d) 102

105. What is the coefficient of mean deviation of 21, 34, 23, 39, 26, 37, 40, 20, 33, 27 (taken from mean)?

- (a) 0.11
- (b) 0.22
- (c) 0.33
- (d) 0.44

अन्ते तीन (3) मानो के लिए निम्नलिखित पर
विचार कीजिए :

105 में से अंते गए मानो के एक समुच्चय $x_1, x_2,$
 x_3, \dots, x_n के विचलनों का औसत योग -30 है और
92 में से अंते गए इन्हीं मानो के समुच्चय के
विचलनों का औसत योग 140 है।

106. मानो का मान क्या है ?

- (a) 91
- (b) 96
- (c) 98
- (d) 99

अन्ते तीन (3) मानो के लिए निम्नलिखित दो
(दो) पर विचार कीजिए :

एक बहाव में 51 लाखी दूषा प्रशासक मानव थे जो
(AP) में हैं, जिनमें और 4 हैं और उनमें अब
3 हैं।

107. शासकों का मान क्या है ?

- (a) 67
- (b) 71
- (c) 75
- (d) 79

108. 99 में से अंते गए इन्हीं मानो के समुच्चय के
विचलनों का औसत क्या है ?

- (a) 9
- (b) 10
- (c) 20
- (d) 40

109. शासकों भी वापिस क्या है ?

- (a) 79.5
- (b) 79
- (c) 78.5
- (d) 77

110. यदि y में से अंते गए इन्हीं मानो के समुच्चय
के विचलनों का औसत योग 180 है, तो y
का मान क्या है ?

- (a) 80
- (b) 85
- (c) 90
- (d) 95

111. अधिकार में अंते गए विचलनों का औसत
क्या है ?

- (a) -1
- (b) 0
- (c) 1
- (d) 2

Consider the following for the next three (3) items that follow:

The algebraic sum of the deviations of a set of values $x_1, x_2, x_3, \dots, x_n$ measured from 100 is -20 and the algebraic sum of the deviations of the same set of values measured from 92 is 140.

106. What is the mean of the values?

- (a) 91
- (b) 96
- (c) 98
- (d) 99

107. What is the algebraic sum of the deviations of the same set of values measured from 99?

- (a) 0
- (b) 10
- (c) 20
- (d) 40

108. If the algebraic sum of the deviations of the same set of values measured from y is 180, then what is the value of y ?

- (a) 80
- (b) 85
- (c) 90
- (d) 95

Consider the following data for the next three (3) items that follow:

The marks obtained by 51 students in a class are in AP with its first term 4 and common difference 3.

109. What is the mean of the marks?

- (a) 67
- (b) 71
- (c) 75
- (d) 79

110. What is the median of the marks?

- (a) 79.5
- (b) 79
- (c) 78.5
- (d) 77

111. What is the sum of the deviations measured from the median?

- (a) -1
- (b) 0
- (c) 1
- (d) 2

आगे तीन (3) प्राणों के लिए निम्नलिखित दस्तावेज़ (केटा) पर विचार कीजिए :

एक बीमारी (बीम) के लिए 90 आवेदन हैं। उनमें से कुछ सतावहां हैं। उनमें से कुछ को तीन वर्ष से अधिक अवृद्धि है।

	सामाजिक की संख्या	प्री-सामाजिक की संख्या
उमेर से सन 3 वर्ष का अवृद्धि	18	9
3 वर्ष से कम का अवृद्धि	36	27

तात्परी इस बहु घटना है कि जिस पहले आगेदान का सामाजिक लिंग गति में सतावहां है और उसका अवृद्धि है कि जिस पहले आगेदान का सामाजिक लिंग गति उसे उमेर 3 वर्ष का अवृद्धि है।

112. $P(G \cap \bar{T})$ किसके बराबर है ?

- (a) $\frac{1}{3}$
- (b) $\frac{2}{5}$
- (c) $\frac{2}{3}$
- (d) $\frac{4}{5}$

113. $P(G | \bar{T})$ किसके बराबर है ?

- (a) $\frac{2}{7}$
- (b) $\frac{3}{7}$
- (c) $\frac{4}{7}$
- (d) $\frac{5}{7}$

114. $P(\bar{T} | \bar{G})$ किसके बराबर है ?

- (a) $\frac{1}{4}$
- (b) $\frac{1}{3}$
- (c) $\frac{2}{5}$
- (d) $\frac{3}{4}$

आगे तीन (3) प्राणों के लिए निम्नलिखित दस्तावेज़ (केटा) पर विचार कीजिए :

विभी लोग में, कामगारों में विभी बीमारी से लीकूल होने की घटनाओं की संख्या 33% है।

115. इस बात की जांच प्रयोग्य है कि 6 कामगारों में से यहाँ कम से 3 कामगार इस बीमारी से लीकूल हों ?

- (a) $\frac{80}{729}$
- (b) $\frac{10}{81}$
- (c) $\frac{10}{243}$
- (d) $\frac{160}{729}$

Consider the following data for the next three (03) items that follow:

There are 90 applicants for a job. Some of them are graduates. Some of them have less than three years experience.

	Number of graduates	Number of non-graduates
At least 3 years experience	18	9
Less than 3 years experience	36	27

Let G be the event that the first applicant interviewed is a graduate and T be the event that first applicant interviewed has at least 3 years experience.

112. What is $P(G \cap T)$ equal to?

- (a) $\frac{1}{5}$
- (b) $\frac{2}{5}$
- (c) $\frac{3}{5}$
- (d) $\frac{4}{5}$

113. What is $P(G | \bar{T})$ equal to?

- (a) $\frac{2}{7}$
- (b) $\frac{3}{7}$
- (c) $\frac{4}{7}$
- (d) $\frac{5}{7}$

114. What is $P(T | \bar{G})$ equal to?

- (a) $\frac{1}{4}$
- (b) $\frac{1}{3}$
- (c) $\frac{2}{3}$
- (d) $\frac{3}{4}$

Consider the following data for the next three (03) items that follow:

The incidence of suffering from a disease among workers in an industry has a chance of $33\frac{1}{3}\%$.

115. What is the probability that exactly 3 out of 6 workers suffer from a disease?

- (a) $\frac{80}{729}$
- (b) $\frac{10}{81}$
- (c) $\frac{10}{243}$
- (d) $\frac{160}{729}$

116. इस बात की ज्ञान प्रविष्टि है कि 6 कामगारों
में से लोहे की इस खीमती से बचत होती है ?

- (a) $\frac{665}{729}$
- (b) $\frac{64}{729}$
- (c) $\frac{4}{243}$
- (d) $\frac{1}{729}$

117. इस बात की ज्ञान प्रविष्टि है कि 6 कामगारों
में से बम को बम एवं बामगार उड़-खीमती से
बचत होती है ?

- (a) $\frac{728}{729}$
- (b) $\frac{665}{729}$
- (c) $\frac{653}{729}$
- (d) $\frac{596}{729}$

अपने लौल (63) प्रवर्तों के लिए विनियोगिता
वालों का लाभ-खट्टा पर लिया जाता है :

वर्षा	0-20	20-40	40-60	60-80	80-100
वार्षिक लाभ	17	$p + q$	32	$p - 2q$	19

कुल वार्षिक लाभ 120 है। तब p और q हैं ?

118. p का मान क्या है ?

- (a) 25
- (b) 26
- (c) 27
- (d) 28

119. q का मान क्या है ?

- (a) 1
- (b) 2
- (c) 3
- (d) 4

120. यदि प्रत्येक बाता की वार्षिक दुर्घटी 10% हो
जाए, तो मासिक बता होगा ?

- (a) 25
- (b) 50
- (c) 75
- (d) 100

116. What is the probability that no one out of 6 workers suffers from a disease?

(a) $\frac{665}{729}$

(b) $\frac{64}{729}$

(c) $\frac{4}{243}$

(d) $\frac{1}{729}$

117. What is the probability that at least one out of 6 workers suffer from a disease?

(a) $\frac{728}{729}$

(b) $\frac{665}{729}$

(c) $\frac{651}{729}$

(d) $\frac{596}{729}$

Consider the following frequency distribution for the next three (03) items that follow:

Class	0-20	20-40	40-60	60-80	80-100
Frequency	17	$p + q$	32	$p - 2q$	19

The total frequency is 120. The mean is 50.

118. What is the value of p ?

(a) 25

(b) 26

(c) 27

(d) 28

119. What is the value of q ?

(a) 1

(b) 2

(c) 3

(d) 4

120. If the frequency of each class is doubled, then what would be the mean?

(a) 25

(b) 50

(c) 75

(d) 100

अन्तर्राष्ट्रीय विनाशक



SPACE FOR ROUGH WORK

10' 0" x 10' 0" (3.05m x 3.05m)

SPACE FOR ROUGH WORK

वास्ते वास्ते के लिए वास्ते

SPACE FOR ROUGH WORK

1.5 m x 1.5 m

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE TOLD TO DO SO

LBC. : SDFR-S-BTM

Test Booklet Series

TEST BOOKLET

MATHEMATICS


Time Allowed : Two Hours and Thirty Minutes**Maximum Marks : 700****INSTRUCTIONS**

1. IMMEDIATELY AFTER THE COMMENCEMENT OF THE EXAMINATION, YOU SHOULD CHECK THAT THIS TEST BOOKLET **DOES NOT HAVE ANY UNPRINTED OR TORN OR MISSING PAGES OR ITEMS, ETC.** IF SO, GET IT REPLACED BY A COMPLETE TEST BOOKLET.
2. Please note that it is the candidate's responsibility to encode and fill in the Roll Number and Test Booklet Series A, B, C or D carefully and without any omission or discrepancy at the appropriate places in the OMR Answer Sheet. Any omission/discrepancy will render the Answer Sheet liable for rejection.
3. You have to enter your Roll Number on the Test Booklet in the Box provided alongside **DO NOT write anything else on the Test Booklet.**
4. This Test Booklet contains 120 items (questions). Each item is printed both in Hindi and English. Each item comprises four responses (answers). You will select the response which you want to mark on the Answer Sheet. In case you feel that there is more than one correct response, mark the response which you consider the best. In any case, choose **ONLY ONE** response for each item.
5. You have to mark all your responses **ONLY** on the separate Answer Sheet provided. See directions in the Answer Sheet.
6. All items carry equal marks.
7. Before you proceed to mark in the Answer Sheet the response to various items in the Test Booklet, you have to fill in some particulars in the Answer Sheet as per instructions sent to you with your Admission Certificate.
8. After you have completed filling in all your responses on the Answer Sheet and the examination has concluded, you should hand over to the Invigilator only the Answer Sheet. You are permitted to take away with you the Test Booklet.
9. Spaces for rough work are appended in the Test Booklet at the end.
10. Penalty for wrong Answers : **THERE WILL BE PENALTY FOR WRONG ANSWERS MARKED BY A CANDIDATE IN THE OBJECTIVE TYPE QUESTION PAPERS.**
 - (i) There are four alternatives for the answer to every question. For such questions for which a wrong answer has been given by the candidate, one-third of the marks assigned to that question will be deducted as penalty.
 - (ii) If a candidate gives more than one answer, it will be treated as a wrong answer even if one of the given answers happens to be correct and there will be same penalty as above to that question.
 - (iii) If a question is left blank, i.e., no answer is given by the candidate, there will be no penalty for that question.

DO NOT OPEN THIS TEST BOOKLET UNTIL YOU ARE TOLD TO DO SO